



01 / PRODUCT OVERVIEW

M200 / M200A1

5.56 x 45 mm Blank M200 and M200A1



FIG 01 PRODUCT CONFIGURATION

6.9 g (M200); 7.2 g (M200A1)

CARTRIDGE MASS

A-394

INDEX

**MIL-C-60616C (M200);
MIL-C-70724C (M200A1
Long)**

STANDARD

**5.56 x 45 mm rifles
and machine guns**

USAGE

01.1 / OVERVIEW

Bulletless rifle cartridge for 5.56 x 45 mm rifles and machine guns; M200 to MIL-C-60616C, long M200A1 to MIL-C-70724C.

TYPE
Blank

CALIBRE
5.56x45 mm

STANDARD
NATO

PROCUREMENT AND COMPLIANCE

Supply is exclusively for government and institutional end-users. Availability is subject to destination screening, a state-issued export licence and a verified End-User Certificate.



02 / TECHNICAL SPECIFICATION

TECHNICAL DATA

M200 / M200A1 / AMMUNITION

IDENTITY AND CONSTRUCTION

Cartridge mass	6.9 g (M200); 7.2 g (M200A1)
----------------	------------------------------

BALLISTIC PERFORMANCE

Temperature interval	-20 to +52 deg C
----------------------	------------------

DIMENSIONS, MASS AND SUPPLY

Packaging	1000 rds in M2A1 box, 10.5 kg
-----------	-------------------------------

ADDITIONAL TECHNICAL DATA

Index	A-394
Standard	MIL-C-60616C (M200); MIL-C-70724C (M200A1 Long)
Usage	5.56 x 45 mm rifles and machine guns
Primer	small rifle, non-corrosive, non-mercuric, boxer
Propellant	special blank powder



CONFIGURATION VIEWS

M200 / M200A1 / SUPPLEMENTARY CATALOGUE VIEWS

FIG 02 / M200A1 variant

