



01 / SYSTEM OVERVIEW

AK N1 / M05 N2

AK N1 and M05 N2 Assault Rifle



FIG 01 PRODUCT CONFIGURATION

7.62x51 mm	620 +/- 60 rds/min	4.45 kg	20 rds
CALIBRE	RATE OF FIRE	WEIGHT OF WEAPON	MAGAZINE CAPACITY

01.1 / OVERVIEW

Gas-operated 7.62x51 mm assault rifle with 500 mm barrel; N1 has a right-side fire selector, N2 an ambidextrous selector.

TYPE	CALIBRE	STANDARD
Assault rifle	7.62x51 mm	NATO

PROCUREMENT AND COMPLIANCE

Supply is exclusively for government and institutional end-users. Availability is subject to destination screening, a state-issued export licence and a verified End-User Certificate.



02 / TECHNICAL SPECIFICATION

TECHNICAL DATA

AK N1 / M05 N2 / WEAPON SYSTEM

DIMENSIONS AND MASS

Calibre	7.62x51 mm
Weight of weapon	4.45 kg
Weight of magazine	0.25 kg
Total length	1049 mm / 804 mm with stock folded
Barrel length	500 mm

PERFORMANCE AND OPERATION

Rate of fire	620 +/- 60 rds/min
--------------	--------------------

CONFIGURATION AND SUPPORT

Magazine capacity	20 rds
-------------------	--------

ADDITIONAL TECHNICAL DATA

Type of fire	Semi-automatic and automatic
Operation	Gas, with gas flow regulator
Locking system	Rotating bolt
Barrel	Hammer forged, chromium plated interior
Rail interface	Full-length Picatinny rail on receiver cover; handguard rails at 12 and 6 o'clock
Variant difference	N1 fire selector on right side of receiver; N2 ambidextrous fire selector



CONFIGURATION VIEWS

AK N1 / M05 N2 / SUPPLEMENTARY CATALOGUE VIEWS

FIG 02 / stock folded

