



01 / CAPABILITY OVERVIEW

Ballistic case

Other equipment



FIG 01 PRODUCT CONFIGURATION

5.5 kg/m²

WEIGHT

**IIIA according to
NIJ STD 0101.04**

PROTECTION LEVEL

> 500 m/sV50 WITHOUT PROTECTIVE BALLISTIC
PLATE**9 mm Para, .357 Magnum,
.44 Magnum, plus all Class
I, Class IIa and Class II**

AMMUNITION COVERED

01.1 / OVERVIEW

Foldable ballistic protection that takes the form of a case when folded, giving the user protection against common pistol and revolver ammunition up to 9 mm Para, .357 Magnum and .44 Magnum.

TYPE

Other equipment

PROCUREMENT AND COMPLIANCE

Supply is exclusively for government and institutional end-users. Availability is subject to destination screening, a state-issued export licence and a verified End-User Certificate.



02 / TECHNICAL SPECIFICATION

TECHNICAL DATA

Ballistic case / TECHNICAL EQUIPMENT

PERFORMANCE

Protection level	IIIA according to NIJ STD 0101.04
------------------	-----------------------------------

PHYSICAL DATA

Weight	5.5 kg/m ²
--------	-----------------------

ADDITIONAL TECHNICAL DATA

V50 without protective ballistic plate	> 500 m/s
Ammunition covered	9 mm Para, .357 Magnum, .44 Magnum, plus all Class I, Class IIA and Class II
Back face deformation	meets and exceeds NIJ STD 0101.04 for Type IIIA armor including back face deformation (blunt trauma)
Ballistic data, .44 Magnum SJHP	240 gr (15.5 g), max. velocity 1450 fps (441 m/s)
Ballistic data, 9 mm FMJ RN	124 gr (8.0 g), max. velocity 1450 fps (441 m/s)
Configuration	folds into the form of a case



CONFIGURATION VIEWS

Ballistic case / SUPPLEMENTARY CATALOGUE VIEWS

FIG 02 / Carried configuration

