



01 / CAPABILITY OVERVIEW

HAND BLOCK 44 Magnum

HAND BLOCK ballistic shield, 44 Magnum



FIG 01 PRODUCT CONFIGURATION

< 10 kg/m²

BALLISTIC PART MASS (MAXIMUM)

**NIJ STD 0101.04,
IIIA**

SHIELD PROTECTION LEVEL

**NIJ STD 0101.04,
IIIA**

VISOR PROTECTION LEVEL

400 x 100 mm

VISOR OPENING

01.1 / OVERVIEW

Hand-held ballistic shield for special units, designed to protect the body against direct impact and ricochet of pistol ammunition up to 44 Magnum calibre, fitted with an inner handle and two diode lights, and produced with or without a ballistic window visor.

TYPE

Ballistic shield

PROCUREMENT AND COMPLIANCE

Supply is exclusively for government and institutional end-users. Availability is subject to destination screening, a state-issued export licence and a verified End-User Certificate.



02 / TECHNICAL SPECIFICATION

TECHNICAL DATA

HAND BLOCK 44 Magnum / TECHNICAL EQUIPMENT

PERFORMANCE

Shield protection level	NIJ STD 0101.04, IIIA
Visor protection level	NIJ STD 0101.04, IIIA

PHYSICAL DATA

Ballistic part mass (maximum)	< 10 kg/m ²
Dimensions	800 x 500 mm

ADDITIONAL TECHNICAL DATA

Visor opening	400 x 100 mm
Lights for lighting the area (diode)	2 pieces
Colour	black
Threat	pistol grain, conclusive with calibre 44 Magnum, direct impact and ricochet
Variants	with or without ballistic window visor



03 / CONFIGURATION VIEWS

CONFIGURATION VIEWS

HAND BLOCK 44 Magnum / SUPPLEMENTARY CATALOGUE VIEWS

FIG 02 / Operational view

