



01 / CAPABILITY OVERVIEW

M4

M4 NBC protective gloves



FIG 01 PRODUCT CONFIGURATION

**more than 150 minutes
against S-lost drops**

PROTECTION CAPACITY

**not more than 250
g**

WEIGHT

S, M, L

SIZES

-30 to +50 deg C

OPERATING TEMPERATURE

01.1 / OVERVIEW

Two-piece butyl rubber protective gloves with cotton inner glove for multiple protection of hands against chemical agents.

TYPE

NBC gloves

PROCUREMENT AND COMPLIANCE

Supply is exclusively for government and institutional end-users. Availability is subject to destination screening, a state-issued export licence and a verified End-User Certificate.



02 / TECHNICAL SPECIFICATION

TECHNICAL DATA

M4 / TECHNICAL EQUIPMENT

PERFORMANCE

Protection capacity	more than 150 minutes against S-lost drops
Protection capacity after decontamination	more than 100 minutes after 5 contamination/decontamination cycles

INTERFACES AND OPERATION

Operating temperature	-30 to +50 deg C
-----------------------	------------------

PHYSICAL DATA

Weight	not more than 250 g
--------	---------------------

ADDITIONAL TECHNICAL DATA

Sizes	S, M, L
Construction	Two pieces - butyl rubber compound outer glove, 100% cotton five-fingered inner glove
Shelf life	10 years in original packaging



CONFIGURATION VIEWS

M4 / SUPPLEMENTARY CATALOGUE VIEWS

FIG 02 / In-use view

