



01 / SYSTEM OVERVIEW

MCS M19

MCS M19 Modular Combat System



FIG 01 MODULAR CQC CONFIGURATION

7.62x39 mm or 6.5x39 mm, changed by barrel and magazine replacement

CALIBRE OPTIONS

Semi-automatic and automatic

TYPE OF FIRE

Gas, with gas flow regulator

OPERATION

Telescopic and foldable, with adjustable cheek pad

STOCK

01.1 / OVERVIEW

Gas-operated modular rifle allowing tool-free barrel change between 7.62x39 mm and 6.5x39 mm and between CQC and standard barrel lengths.

TYPE

Assault rifle

CALIBRE

7.62x39 mm

STANDARD

Eastern

PROCUREMENT AND COMPLIANCE

Supply is exclusively for government and institutional end-users. Availability is subject to destination screening, a state-issued export licence and a verified End-User Certificate.



TECHNICAL DATA

MCS M19 / WEAPON SYSTEM

DIMENSIONS AND MASS

Calibre options	7.62x39 mm or 6.5x39 mm, changed by barrel and magazine replacement
Barrel lengths	CQC and standard lengths available within each calibre

ADDITIONAL TECHNICAL DATA

Barrel change	Tool-free, without disassembling the rifle
Type of fire	Semi-automatic and automatic
Operation	Gas, with gas flow regulator
Charging handle	Centrally mounted, non-reciprocating, ambidextrous
Fire selector	Ambidextrous, above the handgrip
Rail interface	Full-length Picatinny rail; handguard rails at 12 and 6 o'clock with lateral K-holes
Stock	Telescopic and foldable, with adjustable cheek pad
Muzzle device	Flash hider combined with muzzle brake, standard muzzle thread
Roles	Submachine gun, automatic rifle, light machine gun or DMR depending on barrel



CONFIGURATION VIEWS

MCS M19 / SUPPLEMENTARY CATALOGUE VIEWS

FIG 02 / carried, stock folded

