



01 / PRODUCT OVERVIEW

UTIU, M85P1

UTIU M85P1 artillery fuze



FIG 01 PRODUCT CONFIGURATION

410 g

MASS

**PD (point-detonating),
mechanical**

FUZE TYPE

**Superquick and
delay**

ACTION TYPE

27 to 55 ms

DELAY TIME

01.1 / OVERVIEW

Point-detonating mechanical fuze of superquick and delay action for non-rotating HE projectiles of 100, 115 and 125 mm, mass 410 g.

TYPE

Artillery fuze

STANDARD

Eastern

PROCUREMENT AND COMPLIANCE

Supply is exclusively for government and institutional end-users. Availability is subject to destination screening, a state-issued export licence and a verified End-User Certificate.



TECHNICAL DATA

UTIU, M85P1 / AMMUNITION

IDENTITY AND CONSTRUCTION

Fuze type	PD (point-detonating), mechanical
-----------	-----------------------------------

DIMENSIONS, MASS AND SUPPLY

Mass	410 g
------	-------

ADDITIONAL TECHNICAL DATA

Action type	Superquick and delay
Delay time	27 to 55 ms
Ammunition compatibility	HE unrotating projectiles 100 mm, 115 mm and 125 mm
Safety standard	MIL-STD-1316B
Drop safety	3 m
Muzzle safety	min. 10 m
Airtightness	Airtight
Storage period	min. 15 years



CONFIGURATION VIEWS

UTIU, M85P1 / SUPPLEMENTARY CATALOGUE VIEWS

FIG 02 / opposite side

